Water Resources Modeling for the California Water Plan

Andy Draper, MWH



Water Resources Modeling

- Generic software platform
- ♦ Two applications:
 - Statewide Hydrologic Region (HR) Demand Model
 - o Central Valley Planning Area (PA) Model






Water Evaluation and Planning System

- Object-oriented, menu-driven, water resources modeling platform
- Developed and maintained by the Stockholm Environment Institute (SEI)
- Integrates watershed hydrology and river basin operations
- Ideally suited for screening analysis and climate change studies








Water Evaluation and Planning System

- Study area configured as a set of contiguous catchments
- Catchments linked by river system
- Water demands are nested within the catchments
- Lumped parameter hydrology modules include
 - Snow-melt
 - o Rainfall-runoff
 - Evapotranspiration
 - Soil moisture accounting
 - Groundwater







Water Evaluation and Planning System


- Reservoir releases and water allocation decision driven by linear programming solver
 - Maximize satisfaction of demand
 - User defined demand priorities
 - User defined supply preferences



WEAP Application 1: Statewide HR Demand Model

- Model developer
 - Mohammad Rayej (DWR)
- Hydrologic Region scale
 - 1. North Coast
 - 2. San Francisco Bay
 - 3. Central Coast
 - 4. South Coast
 - 5. Sacramento River
 - 6. San Joaquin River
 - 7. Tulare Lake
 - 8. North Lahontan
 - 9. South Lahontan
 - 10. Colorado River
- No representation of supply

California W Plan Regions not linked



Statewide HR Demand Model

- Demands
 - o Agriculture
 - 20 crop classes
 - o Indoor M&I, Outdoor M&I
 - Single Family, Multi-Family, Commercial, Industrial, Large landscape
 - o Environmental



Statewide HR Demand Model

Simulation

o Base year: 2006

o Projection year: 2050

o Time scale: monthly time step

Scenarios

- o 9 growth (population/and use) scenarios
- 12 CAT climate change scenarios + 1 repeat of historical climate




WEAP Application 2: Central Valley PA Model

- Model developers:
 - David Yates, NCAR
 - Brian Joyce, SEI
 - Evan Bloom, David Groves, RAND
 - Shankar Parvathinathan, MWH
- Planning Area scale
- Interconnected model that includes both supply and demand



Upper Watersheds


- 25 rim watersheds delineated based on:
 - o Planning area
 - Watershed boundaries
 - Surface water storage
- Watersheds further disaggregated by 500m elevation bands





Valley Floor

- 21 "watersheds" delineated based on:
 - o Planning area
 - Water sources
- ◆ 15 groundwater basins based on Bulletin-118 boundaries
- Demands
 - Irrigation associated with watershed
 - Addition indoor urban demand sites
 - Flow requirements/targets





System Operations

Reservoirs

- No CVP/SWP contracts and contract allocations
- Operated to meet demand priorities and supply preferences

Delta

- o X2
- Salinity (G-Model)
- Minimum required Delta outflow
- VAMP Export Limits
- Export/Inflow Limits (WRD 1641)
- No Coordinated Operations Agreement (COA)
- No Delta Cross Channel
- Old and Middle River reverse flow requirements

Model Calibration


- Agricultural, urban, wetland water use: 1998-2005 water portfolios
- ♦ Reservoir storage: 1990-2005 observed data
- Groundwater elevations: 1970-2005 observed data
- ◆ Delta inflows and exports: 1990-2005 observed
- ♦ Delta outflows: 1990-2005 DAYFLOW





Model Calibration: Reservoir Inflows


Sacramento River HR

















Model Calibration – Surface Storage











Update 2013 California Water Plan South of Delta



Model Calibration - Groundwater









Model Calibration: Stream Flows


Sacramento River at Freeport + Fremont and Sacramento Weir Spills






San Joaquin River near Vernalis







References

WEAP

- o http://www.weap21.org/
- Yates, D., J. Sieber, D.R. Purkey, and A. Huber-Lee. 2005.
 "WEAP21, a Demand-, Priority-, and Preference-Driven Water Planning Model: Part 1 Model Characteristics." Water International, 20, 487–500.

Central Valley PA model

Yates, D., D. Purkey, J. Sieber, A. Huber-Lee, H. Galbraith, J. West, S. Herrod-Julius, C. Young, B. Joyce, and M. Rayej. 2009. "Climate Driven Water Resources Model of the Sacramento Basin, California." *Journal of Water Resources Planning and Management*, 135(5), 303–313.

Integrated Scenario Analysis (February 2010). http://www.waterplan.water.ca.gov/swan/index.cfm